

SINGLE SOURCE SOLUTIONS

**Keys
& more**




**Key
Machines
& more**



**Auto
& more**



**Hardware
& more**



Kaba Ilco Corp. • 1.800.334.1381 • www.ilco.us

ilco



Norman Group



Look-A-Like Key Blanks

MFG #	DESCRIPTION	ILCO #	FINISH	EZ #	MFG #	DESCRIPTION	ILCO #	FINISH	EZ #
320560	American Motors	1970AM	NP	035135	1K	Master	1092	BR	004434
1A1A1	Best/Falcon A	A1114A	NS	026519	1515	Medeco 00 5 Pin	-	NS	004447
1A1J1	Best/Falcon J	A1114J	NS	026525	A1515	Medeco 00 6 Pin	-	NS	004047
K4	Chicago	1041G	BR	025983	1542	Medeco 00 Cam	-	NS	028621
K5	Chicago	1041T	BR	004287	6275LA NS	Sargent 6 Pin LA	01007LA	NS	029954
320433	Chrysler	S1770U	NP	035133	100C	Schlage 5 Pin C	1145C	NP	101411
320514	Chrysler	P1770U	NP	035134	100E	Schlage 5 Pin E	1145E	NP	037425
S54F	Dominion 5 Pin	S54F	NP	035128	101C	Schlage 6 Pin C	A1145C	NP	101412
00113	Ford	1167FD	NP	035129	101E NS	Schlage 6 Pin E	A1145E	NS	105543
00114	Ford	S1167FD	NP	035130	101EF NS	Schlage 6 Pin EF	A1145EF	NS	025989
00116	Ford	1184FD	NP	035131	101F	Schlage 6 Pin F	A1145F	NP	004440
GMA	General Motors	P1098	NP	025998	K9	Segal	1022	BR	035125
GMB	General Motors	S98B	NP	026002	13D	Viro	VR91AR	NP	035126
GM C	General Motors	P98C	NP	025999	15D	Viro	VR91	NP	035127
GM D	General Motors	S98D	NP	026003	P1555NS	Weiser Square	N1054WB	NP	025990
GM E	General Motors	P98E	NP	026000	1555	Weiser Tapered	1054WB	NP	037435
GM J	General Motors	P1098J	NP	084779	12344 BR	Weslock	1175N	BR	004444
GM K	General Motors	S98K	NP	026005	8	Yale	999	BR	004414
P98J31	General Motors	P1098J	NP	026001	9114	Yale	1122	BR	004413
S1098H	General Motors	B45	NP	006317	9278	Yale	01122A	BR	035132
1063KWNP	Kwikset	1176	NP	026511					

250 Pack Key Blanks



MFG #	DESCRIPTION	FINISH	EZ #
DE6BR250PK	Dexter	BR	004191
S54F PROMO250PK	Dominion 5 Pin	NP	074655
KW1BR250PK	Kwikset	BR	004279
KW1NP250PK	Kwikset	NP	040629
M1BR250PK	Master 1K	BR	004335
SC1BR250PK	Schlage 5 Pin C	BR	004367
SC1NP250PK	Schlage 5 Pin C	NP	066992
SC4BR250PK	Schlage 6 Pin C	BR	065296
SC4NP250PK	Schlage 6 Pin C	NP	105985
WR5BR250PK	Weiser Square	BR	004408
WR5NP250PK	Weiser Square	NP	067044
WR3BR250PK	Weiser Tapered	BR	040631
Y1BR250PK	Yale 8	BR	004412
Y11BR250PK	Yale Cabinet	BR	040639

Cool Colours Keys




MFG #	DESCRIPTION	EZ #
WR5PCAMBER	Amber, WR5	073770
WR5PCAQUA	Aqua, WR5	073771
WR5PCRUBY	Ruby, WR5	073772
WR5PCTEAL	Teal, WR5	073773
WR5PCVIOLET	Violet, WR5	073774

Nickel Silver Large Oval Bow "Hotel Head" Key Blanks




MFG #	DESCRIPTION	EZ #
O1007CA HO NS	Hotel Head Sargent 6 Pin CA	061928
O1007LA HO NS	Hotel Head Sargent 6 Pin LA	061927
A1145 HO NS	Hotel Head Schlage 6 Pin C	062868
HONS SC9 50PK	Hotel Head Schlage 6 Pin E	061930
A1145F HO NS	Hotel Head Schlage 6 Pin F	065635
HONS WR3 50PK	Hotel Head Weiser 5 Pin	061929

Barrel & Bit Keys



MFG #	DESCRIPTION	EZ #
2B	Bit Key	007284
B2M	Bit Key	035682
7B	Bit Key	007370
24B	Barrel Key	007298
27B	Barrel Key	007303
C30M	Barrel Key	040651
49B	Bit Key	007324
79B	Bit Key	007411

Skeleton Keys



- Assortment contains the most popular skeleton keys
- Assortment contains: 10 of 2B, 5 of 3B, 10 of 7B, 5 of 49B & 5 of 79B

MFG #	DESCRIPTION	EZ #
2SKA	Skeleton Key Assortment	007285

Automotive Blank Keys

MFG #	DESCRIPTION	EZ #	MFG #	DESCRIPTION	EZ #	MFG #	DESCRIPTION	EZ #
V35P	Audi	006423	1611	Gas Cap Lock	072938	X195	Honda	006493
X139	Audi	006422	1611R	Gas Cap Lock	078016	X198	Honda	006496
S7BW P	BMW	040638	B102P	General Motors	069204	X214	Honda	006512
X144	BMW	005769	B86P	General Motors	044697	X252	Honda	067067
X59	BMW	005767	B89P	General Motors	060040	X44	Honda	005969
1098XL	Briggs & Stratton	007012	B91P	General Motors	065046	X57	Honda	005935
1098GX	Cas Cap Lock	007005	B92P	General Motors	065041	X84	Honda	005937
1560	Caterpillar	007226	B93P	General Motors	067073	HO01SVC	Honda Service	090045
CH4	Chrysler	005808	H1098DB	General Motors	005991	HY14P	Hyundai	060496
P1789	Chrysler	006210	H1098LA	General Motors	005992	HY15P	Hyundai	086935
P1793	Chrysler	006213	H1098M	General Motors	005993	HY16P	Hyundai	086943
P1794	Chrysler	006214	HU100P	General Motors	102657	X232	Hyundai	030055
P1795/ Y159	Chrysler	030424	O1098LA	General Motors	006643	X235	Hyundai	031048
Y157P	Chrysler	006593	P1098AV	General Motors	005788	X236	Hyundai	060495
Y159P	Chrysler	030419	P1098CV	General Motors	005790	DA31P	Infiniti/Nissan	005848
CH5	Chrysler Outboards	005809	P1098WC	General Motors	005792	X210	Infiniti/Nissan/Subaru	006508
CH7	Chrysler Outboards	005811	P1101	General Motors	006203	X158	Isuzu	005785
X176	Chrysler/Mitsubishi	006475	P1106	General Motors	031058	1098DB	Jeep/Renault	007003
CH6	Chrysler Outboards	005810	P1107	General Motors	060162	1098NR	Jeep/Renault	007009
MIT4P	Chrysler/Mitsubishi	063453	P1109	General Motors	064701	S1970AM	Jeep/Renault	006335
DWO4RAP	Daewoo	073190	P1111	General Motors	064857	1098JD	John Deere	007006
DWO5RAP	Daewoo	073191	P1112	General Motors	067072	KW14	Kawasaki	066586
X174	Daihatsu/Toyota	006371	P1113	General Motors	069205	KW14R	Kawasaki	068582
OM10	Evinrude Motors	006159	S1098WD	General Motors	006319	X103	Kawasaki	006018
X109	Fiat	005884	S1098WH	General Motors	006320	X104	Kawasaki	006017
X116	Fiat	064417	S1105/B85	General Motors	030423	X105	Kawasaki	006016
1127DU	Ford	007039	X121	General Motors	005852	X106	Kawasaki	006019
1181FD	Ford	007108	X146	General Motors	005784	X118	Kawasaki	006576
1184FD	Ford	007109	1098X	General Motors/B&S	007011	X24	Kawasaki	006021
1185FD	Ford	026535	X154	General Motors/Isuzu	005782	X266	Kawasaki	074580
1186TS	Ford	007111	X225	GEO	006523	X90	Kawasaki	103003
1190LN	Ford	007114	X180	GEO/General Motors	006478	K1994	Kenworth	030078
1193FD	Ford	007117	X184	GEO/Honda/Isuzu	006482	KK8P	Kia	102931
1196FD	Ford	060280	B45P	GM	044649	X253	Kia	067491
H67P	Ford	006008	1147	Golf Cart	007080	X267	Kia	074578
H75P	Ford	060281	CC1	Golf Cart	075620	1519	Komatsu	007196
H76P	Ford	063450	X234	Harley Davidson	025668	1539	Kubota	007210
H86	Ford	075545	X226	Harley Davidson/Suzuki	006524	1540	Kubota	007211
X170	Ford	006146	HD103P	Honda	005909	LF24	L&F	035730
X221	Ford	006519	HD110P	Honda	075294	LXP90 P	Lexus/Toyota	040670
X244	Ford	063425	HD56	Honda	035743	NE10	Mack Midliner Truck	006143
1660	Ford Truck Cover	091292	HD57	Honda	035744	MZ27P	Mazda	006134
1584	Freightliner	060163	HD58	Honda	035746	X131	Mazda	006124
1588	Freightliner	064259	HD63	Honda	035751	X200	Mazda	006498
1098M	Freightliner	007008	HD68	Honda	035758	X201	Mazda	006499
1628P	Freightliner	084389	HD71	Honda	005934	X222	Mazda	006520
1629P	Freightliner	082692	HD91	Honda	035762	X230	Mazda	006529
1574	Gas Cap Lock	007242	HD91P	Honda	005951	X247	Mazda	064256
			X138	Honda	005938	X249	Mazda	066125

Automotive Blank Keys

MFG #	DESCRIPTION	EZ #	MFG #	DESCRIPTION	EZ #
HU64P SI	Mercedes Benz	074622	1557	Tool Box	007223
MB17	Mercedes Benz	006102	1605	Tool Box	073805
MB18	Mercedes Benz	006103	1620	Tool Box	076759
MB40	Mercedes Benz	006108	1536R	Tool Box	007208
1040A	Mercury/Mariner	006848	T61C	Toyota	006385
1040U	Mercury/Mariner	006852	TA6	Toyota	006360
CU10	Mercury/Mariner	005815	TR40P	Toyota	006372
CU12	Mercury/Mariner	005817	TR47P	Toyota	006375
CU7	Mercury/Mariner	005818	X137	Toyota	006367
CU8	Mercury/Mariner	005819	X151	Toyota	006370
CU9	Mercury/Mariner	005820	X159	Toyota	006369
MIT6P	Mitsubishi	069019	X211	Toyota	006509
X224	Mitsubishi	006522	X212	Toyota	006510
X245 MIT4	Mitsubishi	063246	X217	Toyota	006515
DA39P	Nissan	076309	X220	Toyota	006518
X115	Nissan	005841	X132	Volkswagen	006467
X123	Nissan	005844	X203	Volkswagen	006501
X237	Nissan	060290	NE66P SI	Volvo	006351
X238	Nissan	060499	V61A	Volvo	006426
X243	Nissan	061992	X140	Volvo	006401
X216	Nissan/Hyundai	006514	X30	Volvo	006406
1098PB	Peterbilt	007010	1123	Welch	007028
7DC	Peugeot/Renault	007371	X107	Yamaha	006572
X239	Rover	060620	X112	Yamaha	006584
B106P	Saturn	078144	X117	Yamaha	006575
B96P	Saturn	065042	X119	Yamaha	026477
P1108	Saturn	060164	X120	Yamaha	006573
P1110	Saturn	064702	X248	Yamaha	064260
P1114	Saturn	083298	X277	Yamaha	102933
P1115	Saturn	091293	X62	Yamaha	006571
1630P	Sterling Truck	082693	X65	Yamaha	006557
SUB1P	Subaru	067076	X67	Yamaha	006560
X251	Subaru	067075	X68	Yamaha	006559
SUZ20P	Suzuki	086942	X69	Yamaha	006568
SZ14RAP	Suzuki	070181	X72	Yamaha	006567
X179	Suzuki	006477	X74	Yamaha	006565
X185	Suzuki	006483	X75	Yamaha	006564
X186	Suzuki	006484	X77	Yamaha	006569
X241	Suzuki	063019	YH24	Yamaha	035731
X276	Suzuki	102932	YH29	Yamaha	035734
X87	Suzuki	006282	YH35RBP	Yamaha	038395
SUZ17P	Suzuki	006285	YH39	Yamaha	035735
CLB1	The Club	044600	YH50	Yamaha	006577
CLB2	The Club	065559	YH51	Yamaha	006578
CLB5	The Club	065562	1148	Yard Tractor	007081
CLB7	The Club	064662			
CLB8	The Club	064664			
1527	Tool Box	007201			
1529	Tool Box	007203			

A wide variety of standard key banks are also available. Please contact your local IDN branch.



Transponder Cloneable Key Blanks



A transponder is embedded in the head or bow of the key



A **Transponder Key** transmits and responds by means of a transponder chip. The chip transmits, receives and responds to coded signal data using radio frequency transmissions. When the key is inserted and turned in the ignition, it sends a unique code signal to the on-board computer or ECM (Electronic Control Module). If the computer recognizes the signal it will allow the vehicle to start.

Key blanks capable of on-board programming are noted in the Vehicle Application chart with the (OB) designation.

3 Systems Only

- Onboard programming
- Cloning
- Origination

This line of keys contains a transponder chip enclosed in the plastic head that communicates with the vehicle's immobilizer system. The majority of these keys are nickel plated brass or plated nickel silver.

Batteryless Multi-Transponder Cloneable Head



The GTH head is compatible with the RW4 Plus, Ilco EZ®-Clone Plus. A simple, free software update is necessary to clone using the GTH heads.

- No Battery, no circuit board
- Contains a ceramic transponder
- Fits existing Ilco Modular System Key Blades
- One head allows cloning of both TI and Phillips Crypto
- Can be pre-coded (using TRP Setting Program) to emulate 14 different transponders
- Utilizes security that protects against potential illegal cloning
- Smaller than previous clonable heads; closer in size to original keys

MFG #	DESCRIPTION	EZ#
GTH	Batteryless Multi-Transponder Cloneable Key Head	107720

Look Alike® Key Shells with GTI Transponder



GTI
T39
T80



T48

- This is simply a rolling change
- Any existing inventory of glass tube GTI transponders will continue to work
- No longer be a glass tube transponder, is now be a black, ceramic wedge transponder
- The new physical shape will not affect performance or vehicle applications that are covered
- Ilco will continue to refer to this transponder as the GTI
- The new physical shape will continue to fit into the GTH head and GTS Look-Alike shells

MFG #	DESCRIPTION	EZ#
GTI TRANSPONDER	Chip Only for GTI Transponder Key System	108784
T39 DST80	Read/Write Transponder	Special Order
T48 Megamos	Read/Write Transponder	Special Order
T80 DST80	Read/Write Transponder	Special Order

Look Alike Shells

- Ilco® Look-Alike® Key Shells for North American applications
- Offers a wide range of vehicle keys with a key head that is designed to closely resemble the OEM original key
- Designed with a removable carrier that houses the transponder within the key
- Designed to accommodate the Ilco GTI transponder as well as other popular transponders available in the market today
- Ilco® GTI transponder is sold separately

B111GTS	H72GTS	H84GTS	HO03GTS	HYN14R GTS	MAZ24GTS	NI02GTS	TOY40B GTS
EZ# 108803	EZ# 108801	EZ# 108802	EZ# 108805	EZ# 108809	EZ# 108815	EZ# 108816	EZ# 108813
TOY43GTS	TOY48GTS	Y160GTS					
EZ# 108820	EZ# 108814	EZ# 108797					

Electronic Key
 Transponder Key
 Cloning Tool Required
 Special Key Machine Required

LOOKING FOR KEY BLANKS?

We stock a wide variety of key blanks at IDN-Canada.

Call your local representative **TODAY!**

www.idn-inc.ca

TORONTO

Phone 416.248.5625
 Toll Free 800.268.1306
 Fax 416.248.9945

OTTAWA

Phone 613.749.2172
 Toll Free 866.485.4436
 Fax 613.749.6651

CALGARY

Phone 403.291.4844
 Toll Free 800.813.5344
 Fax 403.291.4893

EDMONTON

Phone 780.944.0014
 Toll Free 888.922.3707
 Fax 780.944.0929

VANCOUVER

Phone 604.253.0017
 Toll Free 800.567.1177
 Fax 604.253.5344

HALIFAX

Phone 902.468.1373
 Toll Free 888.550.4209
 Fax 902.468.2117

MONTREAL



























Phone 514.956.0248
 Toll Free 800.310.3436
 Fax 514.956.9769

BURLINGTON

Phone 905.319.7400
 Toll Free 866.288.6037
 Fax 905.319.8780



Cloneable Transponder Keys









 <p>Multi-Transponder Head</p>							
	GTH EZ# 107720	EB3A Y160 EZ# 101268	EB3B H72 EZ# 101269	EB3C H73 EZ# 101270	EB3D H84 EZ# 101271	EB3E TOY43 EZ# 101272	EB3F TOY48 EZ# 101273
							 <p>*Complete Key*</p>
EB3H NI02 EZ# 101275	EB3J MAZ24 EZ# 101276	EB3K MIT8 EZ# 101277	EB3L MIT9 EZ# 101278	EB3M MIT14 EZ# 101279	EB3N SUB1 EZ# 101280	EB3P SUB4 EZ# 101281	H84EK3 EZ# 101740
						<ul style="list-style-type: none">  Electronic Key  Transponder Key  Cloning Tool Required  Special Key Machine Required 	
EB3R B111 EZ# 102771	EB3S HO03 EZ# 102772	EB3T Y170 EZ# 102773	EB3U HD111 EZ# 102774	EB3V HU100 EZ# 102775	EB3W B114R EZ# 102776		

Cloneable Transponder Key Blanks for RW4 Plus



Designed for professional use, the RW4 PLUS lets you take control of Texas Instruments (TI) and Philips encrypted code and fixed code transponder keys. It is a stand-alone device with no PC, internet connection or additional software required.

*** RW4 Plus: EZ# 103030: see page 218**

							
B97PT5 (MASTER) EZ# 069317	B98PT5 (VALET) EZ# 069318	B99PT5 (MASTER) EZ# 069319	B100PT5 (VALET) EZ# 069320	B103PT5 (MASTER) EZ# 073197	B104PT5 (VALET) EZ# 073199	HD106PT5 (MASTER) EZ# 066218	HO01T5 (MASTER) EZ# 076312

Cloneable Transponder Key Blanks for RW4 Plus



Designed for professional use, the RW4 PLUS lets you take control of Texas Instruments (TI) and Philips encrypted code and fixed code transponder keys. It is a stand-alone device with no PC, internet connection or additional software required.

*** RW4 Plus: EZ# 103030: see page 218**

HU46T2	HYN6T14	HYN14RT14	PT04PT5	YM15T5SI
EZ# 068248	EZ# 106500	EZ# 102935	EZ# 106586	EZ# 086882

Programmable Transponder Key Blanks for Smart Pro



Keys can be added to their respective vehicles by using the Smart Pro device or original diagnostic equipment only. These devices are capable of adding or deleting keys from the vehicle's memory. Key blanks capable of on-board programming are noted in the vehicle application chart with the OB designation.

*** SMART PRO: see page 217**

B97PT	B99PT (MASTER)	B111PT	B112PT	B115PT	B119PT	B120PT	DAT17T13
EZ# 066101	EZ# 067224	EZ# 088005	EZ# 088042	EZ# 102926	EZ# 107522	EZ# 108949	EZ# 102934
H72PT	H74PT	H86PT	H92PT	H94PT	HO03PT	HY20PT	NI01T
EZ# 060282	EZ# 069695	EZ# 071400	EZ# 106311	EZ# 108391	EZ# 090575	EZ# 102658	EZ# 076310
						Electronic Key Transponder Key Cloning Tool Required Special Key Machine Required	
NI04T	TOY43AT4	Y160PT	Y162PT	Y164PT	Y170PT		
EZ# 085705	EZ# 068213	EZ# 069160	EZ# 075282	EZ# 088006	EZ# 102231		

Smart Pro



- Smart Pro is a state-of-the-art vehicle key programmer that provides fast, easy and intuitive programming via the graphical user interface. Software is driven by Info Quest, the Advanced Diagnostics online key programming database with information for over 5000 vehicles; covering most makes and model worldwide.
- All-in-one hybrid solution means you can Pay-As-You-Go, Use Unlimited Token Plan and/or Purchase Software
- Program transponder keys, proximity and remote keyless entry
- Integrated security - no dongles or smartcard required
- Compatible with the Smart Aerial
- Fast programming
- Free 6 months unlimited use
- Fast updates for software modules individually via Wifi or PC
- Highly secure and customized operating system
- Info Quest vehicle database integrated (over 5000 vehicles)
- Icon driven user interface with easy to use vehicle menu search
- Intuitive touch screen user interface
- Wifi (802.11a / b / g / n) and Bluetooth 4.1 connectivity
- Multiple language support
- Internal battery with 2 hrs stand-alone use
- Battery backup in the event of a power disruption
- EOBD read & clear faults (manufacturer dependent)
- Power 120 V main plug for charging
- Weight 2.9kg / 6.4 lbs
- Dimensions 12.7" W x 2.6" D x 8" H
- Operating temperature: -5°C to 40°C

MFG #	DESCRIPTION	EZ #
SMART PRO	Programmer	Special Order

Smart4Car™ Vehicle Remotes



Ilco Smart4Car™ is a unique, stylish and compact line of remotes that, once programmed, duplicates the functionality of the original key. Ilco Smart4Car consists of two (2) physical key types; a modular head and a flip style, both with integrated RKE functions. This line also includes one (1) RKE FOB. Each of these remotes feature a 4-button function; lock, unlock, trunk release, and panic.

The Smart Remote Programmer pre-sets an automotive remote with the vehicle information needed to program the remote to the vehicle.

- Broad vehicle coverage with low inventory: over 500 vehicles can be programmed with only 7 remotes, (coverage will continue to expand over time).
- Quality duplicates at a fraction of the cost of an original key replacement.
- Two remote style heads/housings available: modular head and flip housing
- One RKE FOB.
- Ilco quality key blades and innovative transponders: modular head remote is compatible with the Ilco Modular System blades (22) while the flip key is compatible with Ilco flip key blades (33).
- Organized inventory: clamshell package contains each remote and features identification information.
- Certified: FCC, IC and CE
- Fast, easy programming: Smart Remote Programmer takes vehicle data via the dedicated software via a PC or mobile device and writes (pre-sets) this to the remote in just seconds.
- Smart Programmer PC software may be downloaded below
- App for mobile devices is available in the Google Play store (Android devices) and the APP Store (iOS devices).
- Handy tools for modular head and flip housing keys make quick and easy assembly/disassembly without damaging key components.
- Assembly/Disassembly Tools

MFG #	DESCRIPTION	EZ #
SMART4CA	Programmer	Special Order

Transponder Key Duplicator



- Clones TI and Philips encrypted code and fixed code (T2, T5) transponder keys
- Identifies presence of a transponder and indicates chip type, value and manufacturer
- Code generation capable
- Software updates are based on new vehicle information & technology
- Free updates for one year from purchase
- Archiving function
- 12 VDC adapter included for "on the road" services
- Compact, lightweight and portable
- Includes Snoop Tool
- Multiple language support
- Easy to read LCD screen
- Dimensions: 9-1/2" W X 6-1/2" D X 3-1/4" H
- Weight: 0.61 lbs

MFG #	DESCRIPTION	EZ #
RW4 PLUS WITH SNOOP	Transponder Key Duplicator	103030

ID48 with M-Snoop



- Unique M-Snoop and chip transponder technology, clone before cutting, reads original key data without cutting a new key
- Comprehensive solution to cover the widest possible range of keys and remotes
- New T48 glass transponder fits original transponder keys and remotes, as well as all Ilco replacement vehicle keys
- Simple visual confirmation of successful cloning before cutting
- Cloning equipment can be used simultaneously for other jobs while an ID48 procedure runs
- Easy to use software with a dedicated webpage to manage progress of cloning jobs
- Can connect to Wi-Fi via a smartphone or tablet hotspot, no need for a PC or a fixed internet connection to clone
- Compatible with Advanced Diagnostics™ procedures for programming vehicle remotes
- Compatible with existing Ilco/Silca brand cloning devices*

* **RW4 Plus, Ilco EZ@-Clone Plus, RW4 with Plus Box, Ilco EZ@-Clone with Plus Box**

MFG #	DESCRIPTION	EZ #
ID48	M-Box with M-Snoop	Special Order

Automotive Assembly/Disassembly Tools



EK3RT



FKF100

EK3RT

- Compact, affordable tool that will separate these two-piece keys in seconds
- No damage to key components
- Compatible with Ilco GTH and Smart4Car™ modular heads

FKF100

- Adding and removing the blade from the modern style flip keys in proper position for assembly/disassembly
- 4 roll pin drive punches included
- Compatible with Smart4Car™ flip style keys and most OEM flip style keys.
- Compact, lightweight and portable
- Also be used for the removal of broken or mis-cut flip blades

MFG #	DESCRIPTION	EZ #
EK3RT	Modular Key Disassembly Tool	Special Order
FKF100	Universal Flip Key Fixture	Special Order

Speed Series Automatic or manual Operation Key Machine



- The spring loaded carriage is engaged by the press of a button and applies a consistent cutting pressure while in automatic mode
- Four sided, nickel plated jaws for clamping the majority of all edge cut/flat type keys. Smooth rotation by simply twisting into position
- Slotted jaw surfaces accommodate tip stop bars and a rigid shoulder gauge design to allow for greater accuracy when loading and gauging keys
- Wide spacing 3-1/2" (88.9 mm) spacing between clamps accommodate large bow (head) and long blade keys, including flip style keys
- Depth tracer system with micro adjustment for precise calibration in increments of .00098" (0.025mm)
- TiN (Titanium Nitride) coated cutter for longer life and oxidation resistance
- Nylon deburring brush 5/8" (15.87 mm) bristles
- Electro-magnetic "main" safety switch with a separate cutter motor switch for easy access
- Large transparent cutter safety shield contains chips and provides a storage area for accessories
- Large drawer-type swarf (chip) tray under the carriage for easy access
- Mounting bracket included for securing the machine to counter
- Power Supply: 120V-60Hz
- Maximum absorbed power: 2.8 Amp, 200 Watt
- Cutter motor: single phase and speed
- Tool Speed: 1350 rpm
- Dimensions: W19.3" x D18.1" x H11.8"
- Weight: 44 lbs. (20 kg)

MFG #	DESCRIPTION	EZ #
SPEED040	Automatic or Manual Operation	109989

Speed Series Semi-Automatic Lever Operation Key Machine



- The spring loaded carriage is engaged by the press of a button and applies a consistent cutting pressure while in automatic mode
- Four sided, nickel plated jaws for clamping the majority of all edge cut/flat type keys. Smooth rotation by simply twisting into position
- Slotted jaw surfaces accommodate tip stop bars and a rigid shoulder gauge design to allow for greater accuracy when loading and gauging keys
- Wide spacing 3-1/2" (88.9 mm) spacing between clamps accommodate large bow (head) and long blade keys, including flip style keys
- Depth tracer system with micro adjustment for precise calibration in increments of .00098" (0.025mm)
- TiN (Titanium Nitride) coated cutter for longer life and oxidation resistance
- Nylon deburring brush, 5/8" (15.87 mm) bristles
- Electro-magnetic "main" safety switch with a separate cutter motor switch for easy access
- Large transparent cutter safety shield contains chips and provides a storage area for accessories
- Large drawer-type swarf (chip) tray under the carriage for easy access
- Mounting bracket included for securing the machine to counter
- Power supply: 120V-60Hz
- Maximum absorbed power: 2.8 Amp, 200 Watt
- Cutter motor: single phase and speed
- Tool speed: 1350 rpm
- Dimensions: W22.8" x D18.1" x H9.8"
- Weight: 31 lbs.(14 kg)

MFG #	DESCRIPTION	EZ #
SPEED044	Semi-Automatic Lever Operation	109990

Speed Series Manual Operation Key Machines



SPEED045

- Four sided, nickel plated jaws for clamping the majority of all edge cut/flat type keys. Smooth rotation by simply twisting into position
- Slotted jaw surfaces accommodate tip stop bars and a rigid shoulder gauge design to allow for greater accuracy when loading and gauging keys
- Wide spacing 3-1/2" (88.9 mm) spacing between clamps accommodate large bow (head) and long blade keys, including flip style keys
- Depth tracer system with micro adjustment for precise calibration in increments of .00098" (0.025mm)
- TiN (Titanium Nitride) coated cutter for longer life and oxidation resistance
- Nylon deburring brush, 5/8" (15.87 mm) bristles
- Electro-magnetic "main" safety switch with a separate cutter motor switch for easy access
- Large transparent cutter safety shield contains chips and provides a storage area for accessories
- Large drawer-type swarf (chip) tray under the carriage for easy access
- Mounting bracket included for securing the machine to counter
- Power supply: 120V-60Hz
- Maximum absorbed power: 2.8 Amp, 200 Watt
- Cutter motor: single phase and speed
- Tool speed: 1350 rpm
- Dimensions: W15.75" x D18.1" x H9.8"
- Weight: 31 lbs. (14 kg)

MFG #	DESCRIPTION	EZ #
SPEED045	Manual Operation	109991
SPEED046	Flat Steel & Safe Deposit Key Duplicator	109992

Futura Pro & Futura Auto



FUTURA PRO



FUTURA AUTO

It delivers even faster cutting cycles than the first generation. Improved hardware and connectivity with 2 USB ports. The tablet with upgraded electronics and software provides fast response times.


- One machine can provide you with capabilities for edge cut, laser, dimple, cruciform, tubular, and Tibbe style keys
- Standard cutters and jaws cover over 90% of edge cut and laser style keys on the market today
- Existing Futura jaws and accessories are fully compatible with the new Futura PRO
- Motors: 24 VDC
- Power: 90/264 V - 50/60 Hz
- Dimensions: W12.52" x D16.26" x H20.47"(with Tablet), 13.38" (w/o tablet)
- Weight: 44 lbs (20 kg)
- Tablet - Operating System: Android 6.0
- Software: Silca® Database
- Standard parts/accessories

PRO

- 2 cutting stations
- Capable of: **Edge:** copy by original, decode and copy, originate, cut by code, **Laser:** decode and copy, originate, cut by code, **Dimple:** decode and copy, originate, cut by code, **Tibbe:** decode and copy, originate, cut by code, **Tubular:** decode and copy, originate, cut by code, **Database:** automotive, residential and commercial, **Engraving, KAK/Instacode communication, Codemaker (Edge/Dimple)**

AUTO

- 1 cutting station
- Capable of: **Edge:** copy by original, decode and copy, originate, cut by code, **Laser:** decode and copy, originate, cut by code, **Tibbe:** decode and copy, originate, cut by code, **Tubular:** decode and copy, originate, cut by code, **Database:** automotive, **KAK/Instacode communication**



* Optional accessories are available to expand with your market needs

MFG #	DESCRIPTION	EZ #
FUTURA PRO	Electronic Key Cutting Machine for all type	180709
FUTURA AUTO	Automotive Electronic Key Cutting Machine	Special Order

Flash 008 Mechanical Key Duplicator



- Four sided, nickel plated jaws for clamping the majority of all edge cut/flat type keys
- Smooth jaw rotation by simply twisting into position
- Slotted jaw surfaces accommodate tip stop bars and rigid shoulder gauge design allow for greater accuracy when loading and gauging keys
- Wide spacing 3 1/2" (88.9 mm) spacing between clamps accommodate large bow (head) and long blade keys, including flip style keys
- Depth tracer system with micro adjustment for precise calibration
- AlTiN (Aluminum Titanium Nitride) coated cutter for longer life and oxidation resistance even at temperatures up to 800°
- Nylon deburring brush
- Electro-magnetic "main" safety switch with separate cutter motor switch for easy access.
- Power supply: 120 V - 60 Hz
- Dimensions: 12.2" W x 9.5" D x 8.7" H
- Weight: 14 lbs

MFG #	DESCRIPTION	EZ #
FLASH008	Mechanical Key Duplicator	110054

Bravo III with EZ-Jaw™ Semi-Automatic Lever Operation



- Vise Jaws: Four position EZ-Jaw™
- Cutter: CU50A milling cutter, flat left side, cobalt steel ensures a smooth, clean, accurate cut every time
- Carriage is spring loaded, provides consistent cutting pressure, and reduces potential for miscuts
- Automatic cutter start feature controlled by micro-switch, that is activated by raising or lowering the carriage
- Precise adjustments. A tracer point with micrometer regulation that makes it quick and easy to adjust depth of cut
- Carriage release button can only be activated when the key gauges are in the down position
- Two carriage shafts ensure sensitivity and precision in the cutting movement
- Motor: 110 V standard; 1/4 hp capacitor start
- Dimensions: 15" W x 20" D x 10" H
- Weight: 47 lbs

MFG #	DESCRIPTION	EZ #
BRAVO III	Semi-Automatic Lever Operation	084802

Engrave-It™ Pro System



- Capable of marking keys, typical lock cylinders (including IC), padlocks, ID plates/tags, laminated plates/tags, fine" Engraving for presentation plaques and more!
- Select either "diamond drag" or rotary cutter engraving styles
- Using the engraving software (with customer supplied PC) the operator can quickly select from a menu list of common tasks or create their own custom settings
- Sequential numbering
- Custom lettering for marking keys, popular lock cylinders, and other items
- Various clamping options provided to secure items being engraved
- Includes 3 key holders that hold 24 keys each (Schlage, Ilco Neuter Bow, and Best style small format I.C.), plus two cylinder holders (7 pin small format IC and rim/mortise cylinder) two solid carbide cutters, diamond stylus, special engraving software, and much more
- 50+ optional key holders and 17+ specialty holders are available as a special order
- Dimensions: 19" W x 22.5" D x 14.5" H
- Weight: 65 lbs

MFG #	DESCRIPTION	EZ #
ENGRAVE-IT PRO	Engrave Machine	Special Order
ENGRAVE-IT XP	Engrave Machine	Special Order



Key Machine Cutters & Accessories

MFG #	DESCRIPTION	MATERIAL	DIAMETER	THICKNESS	HOLE	USED FOR	EZ #
4S	Slotter	TS	57.15 mm	1.02 mm	12.7 mm	DL136, 137D, 146, 146D	035664
11MC	Milling Cutter	TS	60.32 mm	1.14 mm	12.7 mm	024, DL 144M, 144MA, Taylor 144MT	007013
CU20	Milling Cutter	HSS	60.32 mm	6.35 mm	12.7 mm	Ilco 020,024A,024B,040,044	066121
X23MC	Milling Cutter	TNC	60.32 mm	2.64 mm	12.7 mm	Ilco 023, 025, 045; DL 143M,145, 145M, 148M; Taylor 143MT, 145MT	035667
SMS45	Side Milling Slotter	HSS	60.32 mm	1.14 mm	12.7 mm	Ilco 046, 046HD, 2584SMS, 2585SMS; HPC 9110; Slotter Keil 12S, 12-1/2S, 15S, 15-1/2S	006270
CU50A	Milling Cutter	Cobalt	80 mm	5 mm	16 mm	Ilco KD50A, KD50C, KD71, KD71A; Silca Bravo II, Bravo III, Bravo III w/EZ Jaw	035666
814 00 51	Nylon Brush	Nylon	76.2 mm	—	14.29 mm	Ilco & Old Dominion Key Machines; 044, 045, 046 & etc	007415

CS - Carbon Steel HSS - High Speed Steel TNC - Titanium Nitride Coated TS - Tungsten Steel

CUTTER NAME	CUTTER CODE	DESCRIPTION	MATERIAL	DIAMETER	THICKNESS	HOLE	USED FOR	EZ #
CU20	—	Milling Cutter	HSS	60.32 mm	6.35 mm	12.7 mm	Speed040, Speed044	066121
CU50A	D717898ZB	Milling Cutter	Cobalt	80 mm	5 mm	16 mm	Bravo III	035666
—	D945810ZR	Milling Cutter	HSS	59.95 mm	5 mm	12.7 mm	Flash 008	Special Order
01F	D742607ZB	Milling Cutter	HSS	60 mm	3 mm	10 mm	Futura	Special Order
01F	D747276ZR	Milling Cutter	HSS	60 mm	3 mm	10 mm	Futura Pro	Special Order
—	D746382ZB	Milling Cutter	HSS	80 mm	5 mm	16 mm	Speed 040, Speed 044, Speed 045	Special Order
—	D701744ZB	Slotter	HSS	80 mm	3.18 mm	19.05 mm	Speed 046	Special Order
T14MC	n/a	Milling Cutter	HSS	60.32 mm	9.52 mm	9.52 mm	Universal II	Special Order
TWC-1011MC	n/a	Milling Cutter	HSS	60.32 mm	7.37 mm	9.52 mm	Universal II	Special Order

CUTTER NAME	CUTTER CODE	DESCRIPTION	MATERIAL	DIAMETER	STEM DIAMETER	STEM LENGTH	USED FOR	EZ #
01L	D742606ZB	Laser Cutter	HSS	2.5 mm	6 mm	30 mm	Futura	Special Order
06L	D743954ZB	Laser Cutter	HSS	2 mm	6 mm	30 mm	Futura	Special Order
01LW	D747838ZB	Laser Cutter	Carbide	2.5 mm	6 mm	30 mm	Futura Pro	Special Order
06LW	D747840ZB	Laser Cutter	Carbide	2 mm	6 mm	30 mm	Futura Pro	Special Order
01D	D742867ZB	Dimple Cutter	HSS	—	6 mm	30 mm	Futura, Futura Pro	Special Order
H101	D708742ZB	Laser Cutter	HSS	2.5 mm	6 mm	40 mm	Tri-Code HS	Special Order

Pick Gun & Picks



827 00 8X

AVAILABLE ONLY TO
Licensed, Bonded & Certified
Security Professionals



827 01



827 02



H901 13



H901 19

MFG #	DESCRIPTION	EZ #
827 00 8X	Pick Gun	007419
827 01	Replacement Straight Pick for Gun	007420
827 02	Replacement Hook Pick for Gun	007421
H901 13	Rake Pick with Handle	071376
H901 19	Double Diamond Pick with Handle	035618

What is Peaks® Preferred?




Peaks® Preferred key control system is the foundation for any secure access control system with strong utility patents on the key and cylinder as well as contractual agreements for the controlled issue of key blanks, unauthorized manufacture and duplication of keys is prohibited. In addition, Peaks® is an easy system to implement as the cylinders retrofit to all major brands of hardware.

Peaks® lets you convert your entire property, or just certain doors, to a restricted key system with unique security features. With Peaks®, you retain your commercial lock hardware including mortise and doorknob locks, aluminum and glass door locks, and main entrance locks, while improving your work environment security.

- Patented Key Control
- Patented design prevents unauthorized key duplication
- Available in mortise, rim, key-in-lever/knob, interchangeable and removable cores
- Retrofits most major brands of Grade 1 & 2 hardware
- Simplistic and reliable pin tumbler technology
- Master Keying systems created and maintained by the factory
- Visual and hidden ID available
- Customized keys available
- Factory can design & manufacture custom cylinders as needed
- Typical key machine cuts Peaks keys – no expensive key machine to purchase
- Minimal Dealer buy in
- Loyal to Distribution
- Patent through year 2024


How does the patent PEAKS® Preferred feature work?



Peaks® Preferred utilizes a second shear line inside of the cylinder including a patent Peaks® pin that functions only with a Peaks® patent key and its patented function.

Instead of the complicated components used in other systems, the Peaks® patent pin and patent key feature operates like other pin tumbler positions on the key, but in a different location and is a permanent part of the key when it leaves the factory, not cut onto the key blank or added in the field. The Peaks® system is easy to assemble and service. No special key machines are required to cut the keys.

A “One-Key” System



PEAKS® Preferred Retrofittability

Peaks® Preferred has the broadest cylinder offering to fit more existing hardware than any other system on the market. This broad line makes Peaks® Preferred the system of choice for existing properties that need a key system refresh, especially with multiple brands of hardware. Fitting into the existing hardware will save the end user thousands of \$\$ by preventing hardware replacement just to fit the key system.

Dealers

Peaks is a proprietary offering and as such is available only to qualified dealers. Dealerships are available to cover geographic territories. Please contact your branch for requirements and availability.

Universal Cylinders for Arrow, LSDA & Schlage

- Peaks universal 06 cylinder kit for Arrow, LSDA & Schlage
- Includes one security bushing and three fixed tailpieces
- Accepts original Kaba, Ilco, Marks, Sargent and Arrow fixed tailpieces



MANUFACTURER	LOCK TYPE	MODEL #
American	3600 & 3700 Series Padlocks	-01
Arrow	M Series Tudor & Darrin	-26
Corbin Russwin	CL3391	*
Falcon	X Series Hana Knobs	-33
Master	System 29 Padlocks	-01
Master	Pro Series	-01
Trilogy	2700 And 3000 Levers	-03

* Tailpiece requires field modification

MFG #	KEYWAY	FINISH	EZ #
Classic			
3400 25 1006H	H	Satin Chrome	064717
Preferred			
8400 25 1006R	R	Satin Chrome	100020

Small Diameter Universal Cylinders

- Peaks universal 95 cylinder kit, patented for small diameter plug face applications: Falcon, Sargent & Weiser
- Includes 3 fixed and 3 lost motion tailpieces
- Use J or K Series bottom pins
- Uncombined



MANUFACTURER	LOCK TYPE	MODEL #
Cal-Royal, LSDA	LSDA Single Cylinder Deadlock	-01
Cal-Royal, LSDA	LSDA Double Cylinder Deadlock	-01
Falcon	D Series Deadlocks	-01
Falcon	X Series Knobs/Unit Locks	-21
Sargent	6 Line Knobs, Except Ball	-10
Sargent	10 Line Levers	-10
Sargent	2000 Exit Device Trim	-10
Sargent	6500 Line	-10
Sargent	6 Line Grade 2 Ball Knobs	-65
Weiser	D9370/9470 Series Deadlocks	-01
Yale	5300L Grade 2 Levers	-95
Yale	5300LN Grade 2 Levers	-56

MFG #	KEYWAY	FINISH	EZ #
Classic			
3400 25 1095D	D	Satin Chrome	071375
3400 25 1095H	H	Satin Chrome	071058
Preferred			
8400 25 1095R	R	Satin Chrome	100018

Large Diameter Universal Cylinders

- Peaks universal 99 cylinder kit, patented
- Includes three fixed and three lost motion tailpieces
- Use J or K Series bottom pins



MFG #	KEYWAY	FINISH	EZ #
Classic			
3400 25 1099D	D	Satin Chrome	068176
3400 25 1099G	G	Satin Chrome	068964
3400 25 1099H	H	Satin Chrome	068177
Preferred			
8400 25 1099D	D	Satin Chrome	100206
8400 25 1099H	H	Satin Chrome	100207
8400 25 1099R	R	Satin Chrome	100017

The universal "99" cylinder kit can be used to make the following:

MFG	LOCK TYPE	MODEL #
Amerock	See Arrow	
Arrow	H, L, S & W Series	-09
Arrow	M Series Levers	-09
Arrow	M Series Ball Knobs	-20
Arrow	Q Series Levers	-09
Arrow	Single cylinder Deadlocks	-90
Arrow	Double cylinder Deadlocks	-92
Cal-Royal	BA Grade 2 Knobs	-14
Cal-Royal	CGN Grade 1 Levers	-09
Cal-Royal	SL Grade 2 Levers	-09
Corbin Russwin	CL3800	-01*
Corbin Russwin	CL3300	-20
Corbin Russwin	CL3400 & CL3600	-11
Corbin Russwin	ED8000-A5/N5 Lever trim	-11
Dorma	Grade 1 CL853, 873, 880, 880EU, 880EL, 882, 885, CK853, 873, 880, 880EU, 880EL, 882, 885	-44* ◇
Dorma	Grade 1 CL860, 870, 872, 877, CK860, 870, 872, 887	-45* ◇
Dorma	Grade 2 CL753, 770, 780, CK753, 770, 780	-14
Dorma	Grade 2 CL651, 670, CK651, 670	-42* ◇
Dorma	Grade 2 CL680, CK680	-43* ◇
Dorma	Grade 2 DB660	-46* ◇
Dorma	Grade 2 DB662	-47* ◇
Falcon	X Series Hana Knobs	-33
Falcon	X Series Knobs, except Hana	-12
Falcon	B Series Grade 2 Levers	-18
Falcon	F Series Levers	-17
Falcon	N Series Knobs	-17
Falcon	LY Grade 1 Levers	-23
Falcon	RU Grade 1 Unit Locks	-01*
Falcon	S Series Knobs, Except Hana	-13
Falcon	S Series Hana Knobs	-33
Falcon	T Series Levers	-01*
Kaba	1411 Padlocks	-41
LSDA	LS100B, 100P, 100T Knobs	-14
LSDA	LX1000 Grade 1 Levers (Pre 1994)	-99 ◇
LSDA	LH1000 Grade 1 Knobs	-17
LSDA	LX1000 Grade 1 Levers (1998)	-18
LSDA	LX1400 Grade 1 Storeroom Lever	-18
LSDA	L100 Grade 2 Levers	-18
LSDA	600 Series Clutch Levers	-18

MFG	LOCK TYPE	MODEL #
LSDA	220 Single Cylinder Deadlocks	-90
LSDA	225 Double Cylinder Deadlocks	-01*
Marks	110, 120 Series	-14
Marks	130 Series Deadlocks	-01*
Marks	170, 190, 195 Series Levers	-01*
Marks	210 Series Knobs	-01*
Master	ProSeries Padlocks	-01*
New Standard	Brass Padlocks	-41
Olympus	700LC, 800LC*	Note 1
Omnilock	Knobs, Key By-Pass	-17
Omnilock	Lever, Key By-Pass	-09
PDQ	SK, SP, ST Levers	-16
PDQ	SV Grade 2	-84
PDQ	Imported Grade 1 Levers	-23
Sargent	5500 Line Grade 2 Knobs	-14
Sargent	465, 485, 486 Single Cylinder Deadlocks	-90
Sargent	464, 484 Double Cylinder Deadlocks	-92
Schlage	A Series, Non-Orbit Knobs	-14
Schlage	A Series, Orbit Knobs	-07
Schlage	AL Series Levers	-20
Schlage	B Single Cylinder Deadlocks	-90
Schlage	B Double Cylinder Deadlocks	-92
Schlage	C & D Series Grade 1 Knobs	-17
Schlage	C & D Series Grade 1 Levers	-09
Schlage	S Series Grade 2 Levers	-01
Schlage	PL Series Padlocks	-01
Schlage	Old Style 45-101 Padlocks	-01
Select/Medeco	2000/All-N-One Deadlocks	-01
Trilogy	2500 By-Pass Knobs	-17
Trilogy	2500 By-Pass Lever	-09
Ultra	7000 Ball Knobs	-09
Von Duprin	22 Series Exit Knobs Trim	-07

Note 1: Uses Olympus Kit #78-Kaba-Conv

*: Uses tailpieces supplied by manufacturer

◇: Uses tailpieces sold separately: -42 (3400-00-4020); -43 (3400-00-4021); -44 (3400-00-4015); -45 (3400-00-4016); -46 (3400-XX-5100); -47 (3400-XX-5110); -99 (Field modification of tailpiece required)

Mortise Cylinders



3401 25 1018
8401 25 1018

- 1-1/8" 6 pin cylinders
- Uncombined

MFG #	KWY	LENGTH	CAM	FINISH	EZ #
Classic					
3401 25 1018D 3002	D	1-1/8"	STD	Satin Chrome	060640
3401 2 26D 1018D	D	1-1/8"	AR	Satin Chrome	007610
3401 2 26D 1018G	G	1-1/8"	AR	Satin Chrome	028976
3401 2 10B 1018H	H	1-1/8"	AR	Oil Rubbed Bronze	063874
3401 2 26D 1018H	H	1-1/8"	AR	Satin Chrome	064720
Preferred					
8401 25 1018D	D	1-1/8"	AR	Satin Chrome	100208
8401 2 26D 1018H	H	1-1/8"	AR	Satin Chrome	100209
8401 2 26D 1018R	R	1-1/8"	AR	Satin Chrome	100025

Rim Cylinders



3402 25 1010
8402 25 1010

- Stocked with standard tailpiece or Sargent exit device type tailpiece
- Uncombined

MFG #	KEYWAY	TAIL	FINISH	EZ #
Classic				
3402 10 26D 1010D	D	Standard	Satin Chrome	007600
3402 25 1012D	D	Sargent	Satin Chrome	029763
3402 25 1010H	H	Standard	Satin Chrome	064721
Preferred				
8402 25 1010D	D	Standard	Satin Chrome	105191
8402 10 26D 1010H	H	Standard	Satin Chrome	101851
8402 10 26D 1010R	R	Standard	Satin Chrome	100027

Small Format I/C Core



3840 25 1006
8840 25 1006



6840 25 1006
8940 25 1006

- For small format cylinder housings and locks as supplied by Best, KSP, Arrow, Marks, LSDA & others
- 3840 & 8840 cylinders are held in place with cap pins
- 6840 & 8940 cylinders are held in place with a spring cover
- All stocked 140 spacing to key with standard cylinders
- 140 spacing, uncombined, 6 pin small format interchangeable core

MFG #	KEYWAY	FASTEN	FINISH	EZ #
Classic				
3840 25 1006H	H	Cap	Satin Chrome	061521
6840 25 1006D	D	Cover	Satin Chrome	063662
6840 25 1006H	H	Cover	Satin Chrome	063876
Preferred				
8840 25 1006H	H	Cap	Satin Chrome	100215
8940 25 1006H	H	Cover	Satin Chrome	100213
8940 25 1006R	R	Cover	Satin Chrome	100031

Mortise Cams



MFG #	TYPE	EZ #
3418 00 3001	Adams Rite Standard	007606
3418 00 3002	Standard	007608
3418 00 3003	Cloverleaf Corbin Russwin & Best	007607
3418 00 3004	Sargent/Yale	029321
3418 00 3009	Schlage L	029320

Cylinder Caps & Covers



3425 00 2006



6440 00 2000



3800 00 4221



6800 00 2006

MFG #	DESCRIPTION	EZ #
3425 00 2006	Mortise, Rim & RC Spring Cover	029843
3800 00 4221	Caps for 8800/3800 Series Small Format I/C	007644
6440 00 2000	Covers for KIK/8444/ 6400 RC	074518
6800 00 2006	Covers for 8900, 6800	063518
8400 00 100	Spring Cover for 8400 KIK/KIL Pk of 100	181026

Peaks Universal A2 System Pin Kit



• Contents including:

Pack of 100:	6140-00-3206	3800-00-4213	3800-00-3004
3800-00-3200	6140-00-3207	3800-00-4214	6140-00-3004
3800-00-3201	6140-00-3208	3800-00-4215	8144-00-3004
3800-00-3202	6140-00-3209	3800-00-4216	8800-00-3004
3800-00-3203	3800-00-4202	3800-00-4217	8400-00-100
3800-00-3204	3800-00-4203	3800-00-4218	6800-00-2006
3800-00-3205	3800-00-4204	3800-00-4219	6800-00-2007
3800-00-3206	3800-00-4205	3800-00-4306	3425-00-2006
3800-00-3307	3800-00-4207	3800-00-4308	
3800-00-3308	3800-00-4209	3800-00-4310	Pack of 500:
3800-00-3309	3800-00-4211	3425-00-3002	3800-00-4221
6140-00-3205	3800-00-4212	3800-00-3005	3800-00-4010

MFG #	DESCRIPTION	EZ #
3400 00 5012	Peaks Universal A2 System Pin Kit	068034

Top Pins & Optional Spool Pins

- Top pins for all products, except 8444/ 6444 Schlage large format removable core
- Sold in packages of 100
- A - for most Classic & Preferred cylinders
- J - for Classic 3400-XX-1095/1099 universal cylinders & 8400-XX-1095/1099 Preferred cylinders
- **3800 00 4206:** Optional spool pin for 6B
- **3800 00 4208:** Optional spool pin for 8B
- **3800 00 4210:** Optional spool pin for 10B

MFG #	SIZE	EZ #
3800 00 4202	2B	007626
3800 00 4203	3B	007627
3800 00 4204	4B	007628
3800 00 4205	5B	007629
3800 00 4206	6BS	007630
3800 00 4207	7B	007631

MFG #	SIZE	EZ #
3800 00 4208	8BS	007632
3800 00 4209	9B	007633
3800 00 4210	10BS	007634
3800 00 4211	11B	007635
3800 00 4212	12B	007636
3800 00 4213	13B	007637

MFG #	SIZE	EZ #
3800 00 4214	14B	007638
3800 00 4215	15B	007639
3800 00 4216	16B	007640
3800 00 4217	17B	007641
3800 00 4218	18B	007642
3800 00 4219	19B	064227

Bottom Pins

- Sold in packages of 100
- A - for most Classic & Preferred cylinders
- J - for Classic 3400-XX-1095/1099 universal cylinders & 8400-XX-1095/1099 Preferred cylinders
- **3800 00 3207**: Optional spool pin for 7A, 2J
- **3800 00 3208**: Optional spool pin for 8A, 3J
- **3800 00 3209**: Optional spool pin for 9A, 4J

Bottom Pins			
MFG #	Az(A)	Az(J)	EZ #
3800 00 3200	0A	—	007587
3800 00 3201	1A	—	007588
3800 00 3202	2A	—	007589
3800 00 3203	3A	—	007590
3800 00 3204	4A	—	007591

Bottom Pins			
MFG #	Az(A)	Az(J)	EZ #
3800 00 3205	5A	0J	007592
3800 00 3206	6A	1J	007593
3800 00 3207	7AS	2JS	007594
3800 00 3208	8AS	3JS	007595
3800 00 3209	9AS	4JS	007596

Bottom Pins			
MFG #	Az(A)	Az(J)	EZ #
6140 00 3205	—	5J	069029
6140 00 3206	—	6J	069030
6140 00 3207	—	7J	069031
6140 00 3208	—	8J	069032
6140 00 3209	—	9J	069033

Patent Pins



3800 00 3004



3800 00 3005



3800 00 4010

MFG #	DESCRIPTION	PACKAGE	EZ #
3425 00 3002	Patent Top Pin for Non I/C Core	100	035916
3800 00 3005	Patent Top Pin for I/C Core & RC	100	035938
3800 00 4010	Stainless Steel Spring	500	035939
For Classic			
3800 00 3004	Patent Bottom Pin	100	035937
6140 00 3004	Patent Bottom Pin for Universal Cylinders	100	065307
For Preferred			
8144 00 3004	Patent Bottom Pin for Universal Cylinders & Select Removable Cores	100	101051
8800 00 3004	Patent Bottom Pin	100	100034

Tools



3800 00 3001



3800 00 4050

3800 00 4050

- Multi-Key-Gauge checks .140" and .150" spacing and depth for the A2 and A4 system

MFG #	DESCRIPTION	EZ #
3800 00 3001	Modified B Vise Jaw for HPC 1200CM	061281
3800 00 4050	Multi-Key Gauge Check	029764

Universal Cylinders



1539

15395

- Operates most Grade 1 and 2 cylindrical locks
- Arrow style snap-on tailpiece

15995

- Operates most Grade 1 & 2 cylindrical locks
- Knob/lever locks plus Arrow & Schlage deadbolts
- Screw cap retainer



1599


MFG #	FINISH	KEYWAY	EZ #
1539 Universal for Lever, Lock & Padlock			
15395CA26D KD	Satin Chrome	Corbin 60	029363
15395CE26D KD	Satin Chrome	Corbin L4	069888
15395SX26D KD	Satin Chrome	Schlage C-K	029362
15395YG26D KD	Satin Chrome	Yale GA	060534
1599 Universal for Key-in-Knob / Deadbolt Combination Cylinder			
15995CC26D KD	Satin Chrome	Corbin 77	084833
15995CD26D KD	Satin Chrome	Corbin 59A1-A2	080389
15995CE26D KD	Satin Chrome	Corbin L4	077659
15995DA26D KD	Satin Chrome	Dominion 1054F	102465
15995GB26D KD	Satin Chrome	Sargent LA-LC	079089
15995WE26D 0B	Satin Chrome	Weiser	084667
15995YG26D KD	Satin Chrome	Yale GA	077661
15996CE26D KD	Satin Chrome	Corbin L4	085438

Rim Cylinders



MFG #	FINISH	KEYWAY	EZ #
7075CC8 26D KA2	Satin Chrome	Corbin 77	102459
7075DA8 26D KA2	Satin Chrome	Dominion 1054F	102460
7076GB26D KA2	Satin Chrome	Sargent LA-LC	080390
7076YG26D KA2	Satin Chrome	Yale GA	060812

Profile Cylinder



- Repinnable – chamber caps are M4-0.70 X6 mm long set screws
- Keying: keyed different
- Machined from solid brass bar stock
- A: 28 mm, B: 10 mm, C: 28 mm

MFG #	KEYWAY	EZ #
52225SC26D KD	SC1	067523

Removable Thumbturn, Turnknob & Keyed Mortise Cylinders



4167

4167

- Removable thumbturn key cylinder allows operator, using a special key, to choose between single and double keyed cylinder functions
- Double cylinder security with single cylinder life safety

7151

- Supplied with Adams Rite (863A)
- Standard turnknob
- Machined from solid bar brass

7165 & 7185

- Rekeyable to original manufacturers systems
- Master key and grand master key quality
- Furnished with Ilco® Look-A-Like® keys



4165 26D5001



4165 82 2001



7151



7165
7185

MFG #	FINISH	LENGTH	KEYWAY	EZ #
Removable Thumbturn Mortise Cylinder				
41671SC26D KD	Satin Chrome	1-1/8"	Schlage	035900
41671WE26D KD	Satin Chrome	1-1/8"	Weiser	035899
4165 26D5001	Satin Chrome	Additional Thumbturn		039739
4165 82 2001		Flat Steel Thumbturn Key		039743
1" Turnknob Mortise Cylinder				
7151TK2 26D	Satin Chrome	15/16"	-	035903
Keyed Mortise Cylinder				
7165DA2 26D KA2	Satin Chrome	1"	Dominion 1054F	102436
7165WE2 26D KA2	Satin Chrome	1"	Weiser	084669
7185CC1 26D KA2	Satin Chrome	1-1/8"	Corbin 77	102443
7185CD1 26D KA2	Satin Chrome	1-1/8"	Corbin A1-A2	041090
7185CE1 26D KA2	Satin Chrome	1-1/8"	Corbin L4	077648
7185DA1 26D KA2	Satin Chrome	1-1/8"	Dominion 1054F	102444
7185GB1 26D KA2	Satin Chrome	1-1/8"	Sargent LA-LC	076885
7185WE1 26D KA2	Satin Chrome	1-1/8"	Weiser	084670
7185YG1 26D KA2	Satin Chrome	1-1/8"	Yale GA	077650

Mortise Cylinder Accessories



861B



861D
861F



869



863A



863G



863M



863N



863U

MFG #	DESCRIPTION	FINISH	EZ #
861B26D10	Hardened Steel Collar	Satin Chrome	069021
861B46 10	Hardened Steel Collar	Duranodic	069022
861D28 10	1/8" Spacer Ring	Aluminum	007431
861F28 10	1/4" Spacer Ring	Aluminum	007435
863A00 10	Adams Rite Cam (Pk of 10)	Zinc	007194
863G00 10	Standard Cam (Pk of 10)	Zinc	030342
863M00 10	Schlage L Series (Pk of 10)	Zinc	063991
863N00 10	Sargent/Yale (Pk of 10)	Zinc	066803
863U00 10	Sargent Offset Cam (Pk of 10)	Zinc	085363
869 00 10	Mortise Nut	Brushed Brass	035643

Bump Halt™ Kits




KEY BUMPING RESISTANT


- Bump Halt™ Bump Resistant Cylinder Technology resists the transfer of force from the bump key to the pins
- Innovative patent pending design
- Kits enable the conversion of a new or existing Ilco® or LSDA® cylinders to be “bump resistant”
- Cost efficient and effective
- No special tools and/or machining is required
- Conversion kits contain 10 pins, 10 springs and instructions
- One spring and one pin will provide resistance to “bumping”; adding an additional pin and spring will increase the security of the cylinder

MFG #	CYLINDER APPLICATION	EZ #
1500BH 00 10	Key-in-Knob & Deadbolt Kit	100064


Rim Locks



220 53 51



530 53 41



535 53 41

- Door thickness: 1-1/4" to 2-1/4"
 - Completely reversible
 - 2-3/8" backset
- 220 53 51**
- Has latch hold back function
- 530 & 535**
- Jimmy & pry proof rim locks

MFG #	DESCRIPTION	BACKSET	EZ #
220 53 51	Night Latch	2-3/8"	102960
530 53 41	Single Cylinder Jimmyproof	2-1/2"	040612
535 53 51	Double Cylinder Jimmyproof	2-1/2"	007332

Mortise Deadbolts



- Heavy duty cylinder housing, reinforced free turning collars
- Cylinders are retained by set screws, Allen wrench is furnished
- Armored front shields set screws, solid brass trim
- Uses standard mortise cylinder with Adams Rite type cam
- Fits doors from 1-3/8" to 1-3/4", thicker doors use longer cylinders
- 1" throw bolt with 2 hardened steel pins

MFG #	FINISH	KEYWAY	EZ #
Single Cylinder Deadbolt			
4514 04 26D525SC KD	Satin Chrome	Schlage	061570
4514 04 26D525WA KD	Satin Chrome	Weiser	061564
45 1 6 04 26D0	Satin Chrome	Less Cylinder	065598
Double Cylinder Deadbolt			
4524 04 26D525SC KD	Satin Chrome	Schlage	061574
4524 04 26D525WA KD	Satin Chrome	Weiser	061567

Chain & Patio Locks



201 03 51



300 59 51

201 03 51

- Door chain lock
- Brass finish

300 59 51 KADF8

- 1054UN steel stamped key
- 5 brass disc tumblers with 100 combinations
- KA DF8 keyway

MFG #	FINISH	DESCRIPTION	EZ #
201 03 51	Bright Brass	Door Chain Lock	035629
300 59 51 KADF8	Satin Silver	Patio Lock	060601

Old Style Mortise Locks



199A



216



215

199A 03 51

- "Crystal" clear acrylic knob with die cast bottom
- Includes spindle and set screws
- 2" Diameter, projects 2-1/4"

215 04 51

- Complete set includes 2 knobs, threaded spindle, 214 04 51 lock body, 2 of 213 04 51 escutcheon, strike, screws and 2 keys

216 03 51

- Fits square spindle

MFG #	DESCRIPTION	EZ #
199A03 51	Clear Acrylic Knobs	007289
212 03 51	Brass Roses	035632
213 04 51	Escutcheon Plate Only	007290
214 04 51	Mortise Lock Body Only	007291
215 04 51	Mortise Lock Set	007292
216 03 51	2-3/8" Spring Latch	026450

Replacement Bolt



- Replacement bolts and faceplates for 4500 Series deadbolts

MFG #	TYPE	BACKSET	EZ #
4500 26D5000	Standard Bolt Only	2-3/8"	035909